


| | | | | | |
|--|--|---------------------|---------------|-----------------|--------------------------|
|  | 92 North Main Street, Windsor, NJ-08561 Phone #609-448-9400 Fax #609-448-9600 | Proof # | 3 | Proof Date | 8/11/2021 5:16 PM |
| | | Artwork Prepared by | JS | Job Number | MGL 10337 |
| | | Manufactured FOR | Camber | Manufactured BY | Ascent |

8.0"L


4.0"W

Rev: 08/21


Lot:
Exp:

NO VARNISH

N



3 1 7 2 2 1 1 6 7 0 5 5



NDC 31722-167-05

Gabapentin Tablets, USP

800 mg

500 Tablets **Rx only**

Store at 25°C (77°F); excursions permitted between 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].

DOSAGE AND USE
See package insert for full prescribing information.


Each tablet contains 800 mg of gabapentin, USP.

Medication Guide available at <http://camberpharma.com/medication-guides>

Manufactured by:
Ascent Pharmaceuticals, Inc.
Central Islip, NY 11722

Manufactured for:
Camber Pharmaceuticals, Inc.
Piscataway, NJ 08854

PHARMACIST: Dispense the Medication Guide provided separately to each patient.

| | | | | | | | | | | | | | | | | | | | | | |
|---|--|---------------|--|--------------------|--|---------------------------|--|--|--|--|--|--|--|------------------------|--|--------------|--|---------------------|--|--------------|--|
| Customer Description | | | | | | | | 500s Count Container Label Gabapentin Tablets, USP 800 mg (Ascent-Camber) Rev 08/21 | | | | | | | | | | | | | |
| Customer Name | | | | Ascent | | | | NDC # | | 31722-167-05 | | | | REVISION # | | 08/21 | | # of COLOR | | 5 | |
| Label Size | | | | 4.0" x 8.0" | | | | UPC CODE # | | 331722167055 | | | | CUSTOMER ITEM # | | 31758 | | BARCODE TYPE | | UPC-A | |
| COLORS <input type="checkbox"/> CYMK <input checked="" type="checkbox"/> SPOT <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"><input checked="" type="checkbox"/> PMS 1805 C</div> <div style="text-align: center;"><input checked="" type="checkbox"/> PMS 2736 C</div> <div style="text-align: center;"><input checked="" type="checkbox"/> Black</div> <div style="text-align: center;"><input checked="" type="checkbox"/> PMS 715 C</div> <div style="text-align: center;"><input type="checkbox"/> NO Varnish</div> <div style="text-align: center;"><input type="checkbox"/></div> <div style="text-align: center;"><input type="checkbox"/></div> <div style="text-align: center;"><input type="checkbox"/></div> </div> <p>Note: Proof colors do not represent exact PMS colors. Please refer to the current PMS guide.</p> | | | | | | | | | | REWIND DIRECTION  | | | | | | | | | | | |
| SPECIAL INSTRUCTIONS & NOTES <p style="font-weight: bold; font-size: 1.2em;">No-Varnish area is 1.0" x 2.0"</p> | | | | | | | | | | <p>The above proof is verified and the same is ;</p> <p><input type="checkbox"/> Approved OK to Print.</p> <p><input type="checkbox"/> Approved OK for FDA submission only.</p> <p><input type="checkbox"/> Changes required submit revised proof.</p> | | | | | | | | | | | |
| CUSTOMER | | | | | | | | | | | | | | | | | | | | | |
| Verified By (Name & Sign) | | | | | | Approved By (Name & Sign) | | | | | | | | | | | | | | | |
| FOR MEDLIT GRAPHICS ONLY | | | | | | | | | | | | | | | | | | | | | |
| HISTORY: | | Noted Changes | | | | | | | | | | | | | | | | | | | |

DISCLAIMER: Medlit Graphics has checked this artwork for accuracy. Final approval is the Client's responsibility. Please double check for any errors. Client assumes all and any risks for compliance with federal, state and local packaging, advertising and labeling laws, regulation and rules. Client relies and acts upon information, opinion or suggestion at its own risk.