	92 North Main Street, Windsor, NJ-08561 Phone #609-448-9400 Fax #609-448-9600	Proof #	<b>9</b>	Proof Date	<b>7/23/2021 4:11 PM</b>
		Artwork Prepared by	<b>JS</b>	Job Number	<b>MGL 10234</b>
		Manufactured FOR	<b>Camber</b>	Manufactured BY	<b>Ascent</b>


8.0" L

3.0" W


Lot:  
Exp:

NO VARNISH

Rev: 07/21



N  
3 1722149051 1



**NDC 31722-149-05**

# Gabapentin

## Capsules, USP

**300 mg**

**PHARMACIST: Dispense the Medication Guide provided separately to each patient.**

**500 Capsules                      Rx only**


**Store at 25°C (77°F); excursions permitted between 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].**

Dispense in tight (USP), child-resistant containers.

**DOSAGE AND USE**  
See package insert for full prescribing information. Each capsule contains 300 mg of gabapentin, USP. Medication Guide available at <http://camberpharma.com/medication-guides>

**Manufactured by:**  
Ascent Pharmaceuticals, Inc.  
Central Islip, NY 11722

**Manufactured for:**  
Camber Pharmaceuticals, Inc.  
Piscataway, NJ 08854

<b>Customer Description</b>	<b>500s Count Container Label Gabapentin Capsules, USP 300 mg (Ascent-Camber) Rev 07/21</b>						
<b>Customer Name</b>	<b>Ascent</b>	<b>NDC #</b>	<b>31722-149-05</b>	<b>REVISION #</b>	<b>07/21</b>	<b># of COLOR</b>	<b>5</b>
<b>Label Size</b>	<b>3.0" x 8.0"</b>	<b>UPC CODE #</b>	<b>331722149051</b>	<b>CUSTOMER ITEM #</b>	<b>31703</b>	<b>BARCODE TYPE</b>	<b>UPC-A</b>
<b>COLORS</b> <input type="checkbox"/> CYMK <input type="checkbox"/> SPOT <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"><input type="checkbox"/> PMS 1805 C</div> <div style="text-align: center;"><input type="checkbox"/> PMS 2736 C</div> <div style="text-align: center;"><input type="checkbox"/> Black</div> <div style="text-align: center;"><input type="checkbox"/> PMS 513 C</div> <div style="text-align: center;"><input type="checkbox"/> NO Varnish</div> <div style="text-align: center;"><input type="checkbox"/></div> <div style="text-align: center;"><input type="checkbox"/></div> <div style="text-align: center;"><input type="checkbox"/></div> </div> <p style="font-size: 10px;">Note: Proof colors do not represent exact PMS colors. Please refer to the current PMS guide.</p>				<b>REWIND DIRECTION</b> 			
<b>SPECIAL INSTRUCTIONS &amp; NOTES</b>  <p style="font-size: 14px; font-weight: bold;">No-Varnish area is 0.90" x 2.00"</p>				The above proof is verified and the same is ; <input type="checkbox"/> Approved OK to Print. <input type="checkbox"/> Approved OK for FDA submission only. <input type="checkbox"/> Changes required submit revised proof.			
<b>CUSTOMER</b>							
Verified By (Name & Sign)				Approved By (Name & Sign)			
<b>FOR MEDLIT GRAPHICS ONLY</b>							
<b>HISTORY:</b>	Noted Changes						

**DISCLAIMER: Medlit Graphics has checked this artwork for accuracy. Final approval is the Client's responsibility. Please double check for any errors. Client assumes all and any risks for compliance with federal, state and local packaging, advertising and labeling laws, regulation and rules. Client relies and acts upon information, opinion or suggestion at its own risk.**