	92 North Main Street, Windsor, NJ-08561 Phone #609-448-9400 Fax #609-448-9600	Proof #	9	Proof Date	7/23/2021 4:13 PM
		Artwork Prepared by	JS	Job Number	MGL 10236
		Manufactured FOR	Camber	Manufactured BY	Ascent


8.0" L

3.0" W


Lot:
Exp:

NO VARNISH

Rev: 07/21



N
3 17221 15005 7



NDC 31722-150-05

Gabapentin

Capsules, USP

400 mg

**PHARMACIST: Dispense the Medication
Guide provided separately to each patient.**

500 Capsules Rx only


**Store at 25°C (77°F); excursions permitted
between 15° to 30°C (59° to 86°F) [see USP
Controlled Room Temperature].**

Dispense in tight (USP), child-resistant containers.

DOSAGE AND USE
See package insert for full prescribing information.
Each capsule contains 400 mg of gabapentin, USP.
Medication Guide available at
<http://camberpharma.com/medication-guides>

Manufactured by:
Ascent Pharmaceuticals, Inc.
Central Islip, NY 11722

Manufactured for:
Camber Pharmaceuticals, Inc.
Piscataway, NJ 08854

Customer Description	500s Count Container Label Gabapentin Capsules, USP 400 mg (Ascent-Camber) Rev 07/21						
Customer Name	Ascent	NDC #	31722-150-05	REVISION #	07/21	# of COLOR	5
Label Size	3.0" x 8.0"	UPC CODE #	331722150057	CUSTOMER ITEM #	31705	BARCODE TYPE	UPC-A
COLORS <input type="checkbox"/> CYMK <input type="checkbox"/> SPOT <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"><input type="checkbox"/> PMS 1805 C</div> <div style="text-align: center;"><input type="checkbox"/> PMS 2736 C</div> <div style="text-align: center;"><input type="checkbox"/> Black</div> <div style="text-align: center;"><input type="checkbox"/> PMS 485 C</div> <div style="text-align: center;"><input type="checkbox"/> NO Varnish</div> <div style="text-align: center;"><input type="checkbox"/></div> <div style="text-align: center;"><input type="checkbox"/></div> <div style="text-align: center;"><input type="checkbox"/></div> </div> <p style="font-size: 8px;">Note: Proof colors do not represent exact PMS colors. Please refer to the current PMS guide.</p>				REWIND DIRECTION 			
SPECIAL INSTRUCTIONS & NOTES <p style="font-size: 14px; font-weight: bold;">No-Varnish area is 0.90" x 2.00"</p>				The above proof is verified and the same is ; <input type="checkbox"/> Approved OK to Print. <input type="checkbox"/> Approved OK for FDA submission only. <input type="checkbox"/> Changes required submit revised proof.			
CUSTOMER							
Verified By (Name & Sign)				Approved By (Name & Sign)			
FOR MEDLIT GRAPHICS ONLY							
HISTORY:	Noted Changes						

DISCLAIMER: Medlit Graphics has checked this artwork for accuracy. Final approval is the Client's responsibility. Please double check for any errors. Client assumes all and any risks for compliance with federal, state and local packaging, advertising and labeling laws, regulation and rules. Client relies and acts upon information, opinion or suggestion at its own risk.